

1

HARVEY T. BRANDT, COUNTY ENGINEER

BUILDING ADDRESS			20926 ^S New Hampshire		
LOCALITY			TOR.		
NEAREST CROSS ST.			Terrance Bl		
OWNER			Nija		
MAIL ADDRESS			20926 ^S New Hampshire		
CITY			TOR TEL. NO. 3206163		
CONTRACTOR			Pacific Installers		
ADDRESS			1917 W. Artesia		
CITY			Gar TEL. NO. 3278551		
STATE LICENSE NO.			211898 LIC CLASS		
DISTRICT NO.		GROUP	ZONE		PROCESSED BY
12		4	R1		O'Neal
INDUSTRIAL WASTE APPROVAL					
INSPECTION RECORD					
APPROVALS		DATE		INSPECTOR'S SIGNATURE	
UNDER SLAB WORK					
ROUGH PLUMBING					
GAS PIPING					
GAS VENT					
HOT WATER HEATER		8-5-75		Galy	
PLUMBING FIXTURES					
GAS TEST					
UTILITY CO. NOTIFIED					
FINAL		8-5-75		Galy	

INSPECTOR COPY

O'Neal

PLAN CHECK VALIDATION		CK.	M.O.	CASH	PERMIT VALIDATION	CEP	M.O.	CASH
					183775 JUL 30	5 A		5.00

B15567

MAIL
RMIT DEC 13 1967

APPLICATION FOR PLUMBING PERMIT DEC 13 1967

COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
BUILDING AND SAFETY DIVISION
JOHN A. LAMBIE, COUNTY ENGINEER
COLEMAN W. JENKINS, SUP'T. OF BUILDING

FOR APPLICANT TO FILL IN				
NUMBER	FIXTURE OR ITEM	EACH	FEE	
	WATER CLOSET	\$1.25		
	BATH TUB	1.25		
	SHOWER	1.25		
	LAVATORY	1.25		
	SINK	1.25		
	DISHWASHER	1.25		
	LAUNDRY TUB	1.25		
	CLOTHES WASHER	1.25		
	WATER HEATER	1.50		1
	GAS SYSTEM _____ OUTLETS	1.50		
	OUTLETS OVER 5 PER SYSTEM	.30		
1	Water Softener		1	50
		PERMIT	\$	2 00
		TOTAL FEE		3 50

BUILDING ADDRESS		20926 S. New Hampshire	
LOCALITY		Torrance	
NEAREST CROSS ST.		Torrance Blvd.	
OWNER		T. Niuya	
MAIL ADDRESS		Same	
CITY		TEL. NO.	
CONTRACTOR		<i>Gen Installation</i>	
ADDRESS			
CITY		TEL. NO.	
STATE LICENSE NO.		C-36 151839	

DISTRICT NO. <i>12</i>	GROUP <i>I</i>	ZONE <i>A-1</i>	PROCESSED BY <i>Hardy</i>
---------------------------	-------------------	--------------------	------------------------------

INDUSTRIAL WASTE APPROVAL

INSPECTION RECORD

APPROVALS	DATE	INSPECTOR'S SIGNATURE
UNDER SLAB WORK		
ROUGH PLUMBING		
GAS PIPING		
GAS VENT		
HOT WATER HEATER		
PLUMBING FIXTURES		
GAS TEST		
UTILITY CO. NOTIFIED		
<i>Water Softener</i>	<i>12-18-67</i>	<i>J Woods</i>
FINAL	<i>12-19-67</i>	<i>J Woods</i>

INSPECTOR COPY

VALIDATION

JACK R. ALLEN

SUPERVISING MECHANICAL ENG'R.

1084286 DEC 13 5 A 3.50

Reverend

INSPECTOR COPY